BRK Series

Universal Bollard Retrofit

Base Kit

Install New Bollards In Existing Concrete



Solas Ray[™]LIGHTING

5935 West 84th St. | Indianapolis, IN 46278 | 1-800-840-5635 | www.SolasRay.com

Туре

Cat. #


Notes

KEY FEATURES AND BENEFITS

The Bollard Retrofit Base Kit allows installation of new bollards to most existing bolt patterns without removal of existing bolts. Fits all Solas Ray[™] bollards, both round and square.

- Heavy duty die cast aluminum anchor bolt retrofit adapter plate.
- · Heavy duty die cast aluminum bollard mounting cover plate.
- Includes 4 stainless steel leveling bolts.
- Two leveling bubbles to level base prior to mounting new bollard.
- Stainless steel bolts for mounting bollard base plate.
- 4 stainless steel set screws for securing the cover plate to the adapter plate.
- Powder-coat finish over chromate conversion coating in black or bronze.





PRODUCT ORDERING SELECTION


BRK -			
Series Mounting Options			
🗹 BRK	Z - Bronze	🗆 B - Black	C - Custom (Consult Factory)

BRK Series

Universal Bollard Retrofit Base Kit



HOW IT WORKS




COVER PLATE


Bollard mounting cover plate mounts to bollard base and anchor bolt retrofit adapter plate.

Cover plate features threaded holes to accommodate different bollard anchor bolt combinations • plus center conduit access.

Includes 4 set screws for the locking cover plate to the -adapter plate.




Anchor bolt retrofit adapter plate allows for mounting with field installed drilled anchors.





6.5" bolt circle for Drilled Anchors. Used when existing anchor bolts do not fit 4-bolt or 3-bolt slots or are damaged. These must be cut off and new drilled anchors installed.

Anchor bolt retrofit adapter plate includes 4 leveling bolts and built-in levels.



DIMENSIONS





Universal Bollard Retrofit Base Kit



BASE PLATE TEMPLATE

